



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/818,115	03/27/2001	Steven J. Tinsley	TI-31546	1919

7590

06/21/2004

Scott B. Stahl  
Jackson Walker L.L.P.  
Suite 600  
2435 North Central Expressway  
Richardson, TX 75080

EXAMINER

MANOSKEY, JOSEPH D

ART UNIT

PAPER NUMBER

2113

DATE MAILED: 06/21/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/818,115

Applicant(s)

TINSLEY ET AL

Examiner

Joseph Manoskey

Art Unit

2113

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 12 April 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 27 March 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

### ***Response to Arguments***

1. Applicant's arguments, see second paragraph on page 8 of Amendment A, filed April 12, 2004, with respect to the objection of claim 8 have been fully considered and are persuasive. The objection of claim 8 has been withdrawn.
2. Applicant's arguments filed April 12, 2004 concerning the 35 U.S.C. 103(a) rejections of claims 1-4, 8-11, and 15-18 have been fully considered but they are not persuasive. The applicant states that Erckert does not teach the window comparator the providing failsafe indicator but rather a signal transition detector and also that Erckert does not teach the timer providing a failsafe indicator. These two limitations are however taught in the Applicant's admitted prior art (APA) (See Fig. 2). The Erckert reference is used to provide the output of the window comparator to the timer. The grounds of rejection are supplied below.

### ***Claim Rejections - 35 USC § 103***

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-4, 8-11, and 15-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over applicant's admitted prior art (hereinafter referred to as APA) in view of Erckert, U.S. Patent 6,493,401.

3. Referring to claim 1, the APA teaches a failsafe detection apparatus for a differential receiver comprising a window comparator, a timer for the bus activity signal, and a failsafe indicator gate coupled with the timer and window comparator (See Fig. 2). The APA does not teach the timer being coupled to both the bus activity signal and the output of the window comparator, however the APA does disclose that the activity timer's purpose is to provide a time for how long invalid data may exist on the bus before a failsafe signal is issued (See page 9, lines 4-6). Erckert discloses a receiving circuit that contains a window comparator that is connected to a timer (See Fig. 1). It would be obvious to one of ordinary skill in the art at the time of the invention to combine the timer and window comparator of Erckert with the timer the APA to have a timer that receives inputs from both the bus activity signal and the output of the window comparator. This would be obvious to one of ordinary skill in the art at the time of the invention was made to do because the timer of Erckert insures that no logic values changed on the window comparator for more than a predetermined amount of time resulting in a violation of protocol or error in data (See Col. 3, lines 7-13).

4. Referring to claim 2, the APA and Erckert disclose all the limitations (See rejection of claim 1) including the failsafe indicator gate comprising an OR gate (See Fig. 2).

5. Referring to claim 3, the APA and Erckert teach all the limitations (See rejection of claim 1) including the window comparator comprising first and second comparators configured to compare differential data with respective first and second references that represent a failsafe threshold and a logic gate coupled to the outputs of the comparators (See Fig. 2 of the APA).

6. Referring to claim 4, the APA and Erckert disclose all the limitations (See rejection of claim 3), however they are silent on the use of an XOR gate being used to couple the bus activity gate and the window comparator output to the timer. It would be obvious to one of ordinary skill in the art at the time of the invention to use an XOR gate to couple the bus activity gate and window comparator to the timer. This would be obvious to one of ordinary skill in the art when the invention was made because the failsafe circuit would not function properly otherwise.

7. Referring to claim 8, the APA teaches a system for failsafe detection of a differential receiver comprising a differential input device, a fault detection device, a resettable timer for the bus activity signal, and a failsafe indicator gate coupled with the timer and window comparator (See Fig. 1 and 2). The APA does not teach the timer

being coupled to both the bus activity signal and the output of the window comparator, however the APA does disclose that the activity timer's purpose is to provide a time for how long invalid data may exist on the bus before a failsafe signal is issued (See page 9, lines 4-6). Erckert discloses a receiving circuit that contains a window comparator that is connected to a timer (See Fig. 1). It would be obvious to one of ordinary skill in the art at the time of the invention to combine the timer and window comparator of Erckert with the timer the APA to have a timer that receives inputs from both the bus activity signal and the output of the window comparator. This would be obvious to one of ordinary skill in the art at the time of the invention was made to do because the timer of Erckert insures that no logic values changed on the window comparator for more than a predetermined amount of time resulting in a violation of protocol or error in data (See Col. 3, lines 7-13).

8. Referring to claim 9, the APA and Erckert disclose all the limitations (See rejection of claim 8) including the failsafe indicator gate comprising an OR gate (See Fig. 2 of the APA).

9. Referring to claim 10, the APA and Erckert teach all the limitations (See rejection of claim 8) including the window comparator comprising first and second comparators configured to compare differential data with respective first and second references that represent a failsafe threshold and a logic gate coupled to the outputs of the comparators (See Fig. 2 of the APA).

10. Referring to claim 11, the APA and Erckert disclose all the limitations (See rejection of claim 10), however they are silent on the use of an XOR gate being used to couple the bus activity gate and the window comparator output to the timer. It would be obvious to one of ordinary skill in the art at the time of the invention to use an XOR gate to couple the bus activity gate and window comparator to the timer. This would be obvious to one of ordinary skill in the art when the invention was made because the failsafe circuit would not function properly otherwise.

11. Referring to claim 15, the APA teaches a method of providing failsafe detection in differential receiver circuit comprising detecting a receive threshold transition and commencing a count down and detecting a failsafe threshold transition (See Fig. 1 and 2). The APA does not teach a count down being commenced when a failsafe threshold transition occurs, however the APA does disclose that the activity timer's purpose is to provide a time for how long invalid data may exist on the bus before a failsafe signal is issued (See page 9, lines 4-6). Erckert discloses a receiving circuit that contains a window comparator that is connected to a timer (See Fig. 1). It would be obvious to one of ordinary skill in the art at the time of the invention to combine the timer and window comparator of Erckert with the timer the APA to have a timer that receives inputs from both the bus activity signal and the output of the window comparator so that a countdown will commence when both a receive threshold transition and failsafe threshold transition are detected. This would be obvious to one of ordinary skill in the

art at the time of the invention was made to do because the timer of Erckert insures that no logic values changed on the window comparator for more than a predetermined amount of time resulting in a violation of protocol or error in data (See Col. 3, lines 7-13).

12. Referring to claim 16, the APA and Erckert disclose all the limitations (See rejection of claim 15) including the failsafe indicator gate comprising an OR gate (See Fig. 2 of the APA).

13. Referring to claim 17, the APA and Erckert teach all the limitations (See rejection of claim 15) including using first logic gate to receive both indications of threshold transitions (See Fig. 2 of the APA) however they are silent on the use of a second logic gate being used to couple the bus activity gate and the window comparator output to the timer. It would be obvious to one of ordinary skill in the art at the time of the invention to use a second logic gate to couple the bus activity gate and window comparator to the timer. This would be obvious to one of ordinary skill in the art when the invention was made because the failsafe circuit would not function properly otherwise

14. Referring to claim 18, the APA and Erckert disclose all the limitations (See rejection of claim 15), however they are silent on the use of an XOR gate being used to couple the bus activity gate and the window comparator output to the timer. It would be obvious to one of ordinary skill in the art at the time of the invention to use an XOR gate



to couple the bus activity gate and window comparator to the timer. This would be obvious to one of ordinary skill in the art when the invention was made because the failsafe circuit would not function properly otherwise.

15. Claims 5-7, 12-14, 19 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over the APA and Erckert in view of Shirai et al., U.S. Patent 5,867,775, hereinafter referred to as "Shirai".

16. Referring to claim 5, the APA and Erckert teach all the limitations (See rejection of claim 1) except for a delay circuit coupled between the window comparator and the failsafe indicator circuit, however Erckert does teach the use of a switch that changes after the timer expires thus delaying the output (See Col. 3, lines 13-17). Shirai teaches the use of a failsafe delay circuit coupled to the output of a failsafe window comparator (See Fig. 3). It would be obvious to one of ordinary skill in the art at the time of the invention to connect the delay circuit of Shirai to the output of the window comparator of the APA and Erckert. This would have been obvious to one of ordinary skill in the art when the invention was made to do because it provides a delay needed for waiting until the timer expires in order for the circuit to function properly.

17. Referring to claim 6, the APA, Erckert, and Shirai teach all the limitations (See rejection of claim 5). Although Shirai is silent on the length of the delay time of the delay circuit, it would inherently be longer than the time it takes for the timer to expire. If

the delay time did not exceed the expiration time of the failsafe circuit would not function properly.

18. Referring to claim 7, the APA, Erckert, and Shirai teach all the limitations (See rejection of claim 6) including the delay circuit being a RC circuit. Shirai teaches the delay circuit being a "CR circuit" (See Col. 7, lines 61-62), which is interpreted as a RC circuit.

19. Referring to claim 12, the APA and Erckert teach all the limitations (See rejection of claim 8) except for a delay circuit coupled between the window comparator and the failsafe indicator circuit, however Erckert does teach the use of a switch that changes after the timer expires thus delaying the output (See Col. 3, lines 13-17). Shirai teaches the use of a failsafe delay circuit coupled to the output of a failsafe window comparator (See Fig. 3). It would be obvious to one of ordinary skill in the art at the time of the invention to connect the delay circuit of Shirai to the output of the window comparator of the APA and Erckert. This would have been obvious to one of ordinary skill in the art when the invention was made to do because it provides a delay needed for waiting until the timer expires in order for the circuit to function properly.

20. Referring to claim 13, the APA, Erckert, and Shirai teach all the limitations (See rejection of claim 6). Although Shirai is silent on the length of the delay time of the delay circuit, it would inherently be longer then the time it takes for the timer to expire. If

the delay time did not exceed the expiration time of the failsafe circuit would not function properly.

21. Referring to claim 14, the APA, Erckert, and Shirai teach all the limitations (See rejection of claim 13) including the delay circuit being a RC circuit. Shirai teaches the delay circuit being a "CR circuit" (See Col. 7, lines 61-62), which is interpreted as a RC circuit.

22. Referring to claim 19, the APA and Erckert teach all the limitations (See rejection of claim 15) except for a delay circuit coupled between the window comparator and the failsafe indicator circuit (the second detecting step), however Erckert does teach the use of a switch that changes after the timer expires thus delaying the output (See Col. 3, lines 13-17). Shirai teaches the use of a failsafe delay circuit coupled to the output of a failsafe window comparator (See Fig. 3). It would be obvious to one of ordinary skill in the art at the time of the invention to connect the delay circuit of Shirai to the output of the window comparator of the APA and Erckert. This would have been obvious to one of ordinary skill in the art when the invention was made to do because it provides a delay needed for waiting until the timer expires in order for the circuit to function properly.

23. Referring to claim 20, the APA, Erckert, and Shirai teach all the limitations (See rejection of claim 19). Although Shirai is silent on the length of the delay time of the

delay circuit, it would inherently be longer than the time it takes for the timer to expire. If the delay time did not exceed the expiration time of the failsafe circuit would not function properly.

### ***Conclusion***

24. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph Manoskey whose telephone number is (703) 308-5466. The examiner can normally be reached on Mon.-Fri. (8am to 4:30pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Beausoliel can be reached on (703) 305-9713. The fax phone

number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JDM  
June 14, 2004

  
ROBERT BEAUSOLIEL  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100